







WEIGHT: 687LB EMPTY; 1,319LB FULL
CAPACITY: 79 GAL. TO OVERFLOW



1. OPTIONAL OVERFLOW HOLE ONLY- SPECIFY LOCATION
2. OPTIONAL DRAIN/ OVERFLOW HARDWARE



HANDFINISHED
NATURAL EXTERIOR
-OPTIONAL METALCRETE FINISH-



© SONOMA CAST STONE

CONCRETE INNOVATIONS

(877) 283-2400 SALES@SONOMASTONE.COM

WWW.SONOMASTONE.COM ALL RIGHTS RESERVED.


TRANQUILITY TUB
CENTER DRAIN MODEL



C[®] IAPMO CERTIFICATE OF LISTING #4816


12/22/2023

Drawn By: CF






WEIGHT: 1,036 LB EMPTY; 1,668 LB FULL
CAPACITY: 74 GAL. TO OVERFLOW

1. OPTIONAL OVERFLOW HOLE ONLY- SPECIFY LOCATION
2. OPTIONAL DRAIN/ OVERFLOW HARDWARE




SMOOTH CAST EXTERIOR
-OPTIONAL METALCRETE FINISH-







WEIGHT: 687LB EMPTY; 1,319LB FULL
CAPACITY: 79 GAL. TO OVERFLOW



1. OPTIONAL OVERFLOW HOLE ONLY- SPECIFY LOCATION
2. OPTIONAL DRAIN/ OVERFLOW HARDWARE



HANDFINISHED
NATURAL EXTERIOR
-OPTIONAL METALCRETE FINISH-



© SONOMA CAST STONE

CONCRETE INNOVATIONS

(877) 283-2400 SALES@SONOMASTONE.COM

WWW.SONOMASTONE.COM ALL RIGHTS RESERVED.

TRANQUILITY TUB



C[®] IAPMO CERTIFICATE OF LISTING #4816

12/22/2023

Drawn By: CF



SONOMA CAST STONE CORPORATION
133 COPELAND STREET PETALUMA, CA 94952
707-283-1888
FAX 707-283-1899


SONOMA OVAL TUB
ACCESSORIES

FULLY PLATED BRASS WASTE & OVERFLOW

SPECIFICATIONS

STANDARD FINISHES

BRN – BRUSHED NICKEL
CHBRZ – CHAMPAGNE BRONZE
CPB – POLISHED CHROME
MB – MATTE BLACK
PN – POLISHED NICKEL



- ALL BRASS FITTINGS AND 17 GAUGE TUBE
- FULLY POLISHED AND PLATED FOR EXPOSED APPLICATIONS
- PIPE LENGTH CAN BE CUT TO FIT TUB ***TEST FIT BEFORE CUTTING***
- CONTEMPORARY STYLING WITH EZ CLICK™ DRAIN
- SWIVELING OVERFLOW NECK ADJUSTS TO FIT BATHTUB WALL
- 1 1/2" O.D. BRASS TAILPIECE
- FOR USE WITH 2" DRAIN AND OVERFLOW OPENINGS